PTO/SB/08A (04-07)
Approved for use through 09/30/2007. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

,	Substitute for form 1449/PTO			Complete if Known		
				Application Number	10/582,599	
	INFORMATIO	ום וא	ISCI OSLIBE	Filing Date	June 09, 2006	
	STATEMENT			First Named Inventor	ROGER A. KAUTZ, et al.	
	STATEMENT	DI.	APPLICANT	Art Unit	1797	
	(Use as many sheets as necessary)		Examiner Name	SALLY A. SAKELARIS		
Sheet	1	of	4	Attorney Docket Number	NU-642XX	

			U. S. PATENT		
Examiner Initials*	Cite No. ¹	Document Number Number-Kind Code ^{2 (f known)}	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevan Figures Appear
/S.S./		us- 3,479,141	11-18-1969	Smythe, et al.	
S.S./		us- 6,372,353	04-16-2002	Karger, et al.	
/S.S./		us- 6,524,456	02-25-2003	Ramsey, et al.	
/S.S./		us- 7,129,091	10-31-2006	Ismagilov, et al.	
/S.S./		us- 2006/0108012	05-25-2006	Barrow, et al.	
		US-			

		FOREI	GN PATENT DOC	JMENTS		
Examiner Initials*	Cite No.1	Foreign Patent Document	Publication Date	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages Or Relevant Figures Appear	T ⁶
		Country Code ³ -Number ⁴ -Kind Code ⁵ (if <i>known'</i>)	MM-DD-YYYY			

Examiner	(Oally Oakstade)	Date	40/47/0000
Signature	/Sally Sakelaris/	Considered	12/17/2009

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patient Documents at www.uspto.gov or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patient documents, the indication of the year of the reign of the Emperor must precede the serial number of the patient document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO:

PTO/SB/08B (04-07)
Approved for use through 09/30/2007. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

	Substitute for form 1449/PTO			Complete if Known		
				Application Number	10/582,599	
	INFORMATIO	ום וא	ISCI OSLIBE	Filing Date	June 09, 2006	
	STATEMENT			First Named Inventor	ROGER A. KAUTZ, et al.	
	STATEMENT	DI.	APPLICANT	Art Unit	1797	
	(Use as many sheets as necessary) Sheet 2 of 4			Examiner Name	SALLY A. SAKELARIS	
Sheet				Attorney Docket Number	NU-642XX	

	NON PATENT LITERATURE DOCUMENTS					
Examiner Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²			
/S.S./		ADLER, H. et a1., "Continuous Extraction of Body Fluid				
		Samples, Including Whole Blood, Plasma and Urine";				
/3.3./		Advances in Automated Analysis, Technicon International				
		Congress, Vol. IX; Mediad Inc., Tarrytown, NY; (1973), pp. 81-85				
		BEHNIA, B. and WEBB, A.G.; "Limited-Sample NMR				
10.0.1		Using Solenoidal Microcoils, Perfluorocarbon Plugs, and				
/S.S./		Capillary Spinning"; Analytical Chemistry; (1998); 70(24): 5326-5331				
/S.S./		CURCIO, M and ROERAADE, J.; "Continuous Segmented-				
		Flow Polymerase Chain Reaction for High-Throughput				
/0.0./		Miniaturized DNA Amplification"; Anal. Chem.; (2003) 75: 1-7				
/S.S./		ELDRIDGE, G. R, et a1.; "High-Throughput Method for the.				
/3.3./		Production and Analysis of Large Natural Product Libraries				
		for Drug Discovery"; Anal. Chem.; (2002), 74: 3963-3971				
		KAUTZ, R. A., et a1.; "Sample Concentration and Separation				
		for Nanoliter-Volume NMR Spectroscopy Using Capillary				
/S.S./		Isotachophoresis"; J. Am. Chem. Soc.; (2001); 123: 3159-				
		3160				
		KEIFER, P.A., "Flow NMR Applications in Combinatorial				
/S.S./		Chemistry"; Current Opinion in Chemical Biology; (2003a);				
, 0, 10, 1		7(3): 388-394				
		KEIFER, P.A., "Flow Injection Analysis NMR (FIA-NMR):				
/S.S./		A Novel Flow NMR Technique That Complements LC-NMR				
		and Direct Injection NMR (DI-NMR)"; Magnetic Resonance				
		in Chemistry; (2003b); 41(7): 509-516				

xaminer /Sally Sakelaris/	Date Considered	12/17/2009
---------------------------	--------------------	------------

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant's unique citation designation number (optional). ² Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO:

PTO/SB/08B (04-07)
Approved for use through 09/30/2007. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

	Substitute for form 1449/PTO			Complete if Known		
				Application Number	10/582,599	
	INFORMATIO	וח וא	ISCI OSLIBE	Filing Date	June 09, 2006	
	STATEMENT			First Named Inventor	ROGER A. KAUTZ, et al.	
	STATEMENT	DI /	APPLICANT	Art Unit	1797	
	(Use as many sheets as necessary)			Examiner Name	SALLY A. SAKELARIS	
Sheet	Sheet 3 of 4		4	Attorney Docket Number	NU-642XX	

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
/S.S./		KEIFER, P.A., et al., "Direct-injection NMR (DI-NMR): A Flow NMR Technique for the Analysis of Combinatorial Chemistry Libraries". J. of Comb. Chem.; (2000); 2(2): 151-171	
/S.S./		LACEY, M.E., et al.; "H NMR Characterization of the Product from Single Solid-Phase Resin Beads using Capillary NMR Flow Probes"; Journal of Magnetic Resonance; (2001); 153(2): 215-222	
/S.S./		MACNAUGHTAN, M. A., et al.; "High-Throughput Nuclear Magnetic Resonance Analysis Using a Multiple Coil Flow Probe"; Anal. Chem.; (2003); 75(19): 5116-5123	
/S.S./		NORD, L. and KARBERT, B.; "Extraction Based on the Flow-Injection Principle. Part 6. Film Formation and Dispersion in Liquid-Liquid Segmented Flow Extraction Systems"; Analytica Chimica Acta; (1984);164: 233-249	
/S.S./		OLSON D. L. et a1.; "Microflow NMR: Concepts and Capabilities"; Analytical Chemistry.; (2004); 76(10) 2966-2974	
/S.S./		OLSON, D. L. et al.; "Nanoliter-Volume ¹ H NMR Detection Using Periodic Stopped-Flow Capillary Electrophoresis"; Anal. Chem.; (1999); 71(15): 3070-3076	
/S.S./		OLSON, D.L. et al.; "High-Resolution Microcoil ¹ H-NMR for Mass-Limited, Nanoliter-Volume Samples"; Science, (1995);. 270(5244): 1967-70	
/S.S./		PATTON, C.J. and A. P. Wade, "Continuous Flow Analyzers"; Analytical Instrumentation Handbook, 2'nd ed. rev., G.W. Ewing, ed., Marcel Dekker, New York; (1997) pp. 152-155 and 207-212	

Examiner Signature	/Sally Sakelaris/	Date Considered	12/17/2009
-----------------------	-------------------	--------------------	------------

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant's unique citation designation number (optional). ² Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO:

PTO/SB/08B (04-07)
Approved for use through 09/30/2007. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

	Substitute for form 1449/PTO			Complete if Known		
				Application Number	10/582,599	
	INFORMATIO	ום וא	ISCI OSLIBE	Filing Date	June 09, 2006	
	STATEMENT			First Named Inventor	ROGER A. KAUTZ, et al.	
	STATEMENT	DI.	APPLICANT	Art Unit	1797	
	(Use as many sheets as necessary) Sheet 4 of 4			Examiner Name	SALLY A. SAKELARIS	
Sheet				Attorney Docket Number	NU-642XX	

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
/S.S./		SONG, H., et al.; "A Microfluidic System for Controlling Reaction Networks in Time"; Angew. Chem. Int. Ed.; (2003a); 42(7): 768-772	
/S.S./		SONG, H., ISMAGILOV, R.F.; "Millisecond Kinetics on a Microfluidic Chip Using Nanoliters of Reagents"; J. Am. Chem. Soc.; (2003b); 125(47): 14613-14619	
/S.S./		WEBB, A. G., GRANT, S.C.; "Signal-to-Noise and Magnetic Susceptibility Trade-offs in Solenoidal Microcoils for NMR"; J. Magn. Reson., Ser. B; (1996); 113: 83-87	
/S.S./		WOLTERS, A.M., et al., "Microscale NMR"; Anal. Techniques; (2002a); 6: 711-716	
/S.S./		WOLTERS, A. M et a1., "Capillary Isotachophoresis/NMR: Extension to Trace Impurity Analysis and Improved Instrumental Coupling"; Anal. Chem.; (2002b); 74: 2306-2313	
/S.S./		WOLTERS, A. M., et a1.; "NMR Detection with Multiple Solenoidal Microcoils for Continuous-Flow Capillary Electrophoresis"; Anal. Chem.; (2002c); 74: 5550-5555	
/S.S./		TICE, J.D., "Formation of Droplets and Mixing in Multiphase Microfluidics at Low Values of the Reynolds and the Capillary Numbers"; Langmuir; (2003); 19: 9127-9133	

Examiner Signature	/Sallv Sakelaris/	Date Considered	12/17/2009
Signature	randing and randing	Considered	

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

¹ Applicant's unique citation designation number (optional). ² Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: